·	Application No.	Applicant(s)	(QW)
Aladia as All 1994	10/619,912	SOMERVILL ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Mary Kate B. Baran	2857	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the amendments filed 26 August 2005.			
2. The allowed claim(s) is/are 1-23.			
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:			
1. Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) 🔯 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date <u>4 September 2005</u> .			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
·			
·			
	•	•	
Attachment(s)	_		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	atent Application (PTC)-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. Examiner's Amendr		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allo	wance
of Biological Material			
	9.		

Art Unit: 2857

DETAILED ACTION

Response to Amendment

1. This action is responsive to the Amendments filed 26 August 2005. Claims are 1-23 pending. Claims 1-3, 9, 10, 19 and 20 have been amended.

Drawings

2. This application has been filed with informal drawings, which are acceptable for examination purposes only. Formal drawings will be required when the application is allowed.

Allowable Subject Matter

- 3. Claims 1-23 have been allowed.
- 4. The following is an examiner's statement of reasons for allowance:

Claims 1-23 are allowable over the prior art because testing an electronic device by transferring a test pattern from within said electronic device, said test pattern transferred between a first data controller coupled to a first external data interface of said electronic device and a second data controller coupled to a second external data interface of said electronic device via an element external to said device and coupling said first and second external data interfaces, wherein said first external data interface and said second external data interface are not typically coupled together externally

Application/Control Number: 10/619,912

Art Unit: 2857

during operation of said electronic device is not found, taught or suggested in the prior

art of record.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Mary Kate B. Baran whose telephone number is (571)

272-2211. The examiner can normally be reached on Monday - Friday from 9:00 am to

6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Marc S. Hoff can be reached on (571) 272-2216. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

PERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800

Page 3